



IN-LINE CHECK VALVES

FEATURES

- Buna O-Ring is standard
- Viton and Aflas are available upon request
- Stainless Steel Ball and Spring are standard
- Rated to 6,000 psi for Stainless Steel
- Rated to 3,000 psi for Brass

ISO 9001:2000 Certified
Certificate No. C2007-01814




SIZE

1/8" FNPT x MNPT
1/4" FNPT x MNPT
1/2" FNPT x MNPT

DESCRIPTION

Our In-Line Check Valves are suitable for air, gas, vapor and liquid. Applications include Flow Lines and/or Injection Lines such as Chemical or Lubrication. Body material choices are Brass or Stainless Steel. Ball and Spring are Stainless Steel as standard.

TYPICAL IN-LINE CHECK VALVE



PRODUCT LENGTH

Size	L
1/8"	2-13/16"
1/4"	2-13/16"
1/2"	3-1/16"

**FIELD PROVEN VALVES PROVIDING YEARS OF
COST EFFECTIVE, EFFICIENT, SAFE AND RELIABLE SERVICE.**



LEADERS IN THE VALVE INDUSTRY

Tulsa Valve is a USA based OEM for a wide range of commonly used valves. The increasing demands to design valves that are more efficient, along with ease of operation, have put Tulsa Valve into a leading position in the industry.



GUARANTEED AGAINST DEFECTS



Tulsa Valve products are guaranteed against defects of material workmanship for One (1) Year from date of invoice provided such products are used normally and within the service and pressure range for which they were manufactured. This guarantee is limited to the repair, replacement or repayment of purchase price. Under no conditions will Tulsa Valve be liable for claim of labor for removal, repair or replacement of Tulsa Valve products, or any other consequential damage.

HOUSTON, TEXAS
TEL: (281) 909-3711 • FAX: (281) 306-2526
WWW.TULSAVALVE.COM